
frp surface systems

CRANE Composites





For industrial panels with superior dependability, one product rises above the others: Crane Composites fiberglass reinforced plastic (FRP) industrial panels. Our IsoTuff and Duralite frp panels are engineered to withstand corrosion.

Count on Crane Composites industrial panels to withstand corrosive environments. They are also moisture resistant and are equipped with a surface that won't rot, rust or mildew. Our panels are specifically engineered for use in refineries, paper mills, mining operations, wastewater facilities and any application where corrosion may be a factor. We combine resin systems, profiles, reinforcements and weights to engineer custom solutions. Our products not only exceed performance goals, but also maintain your budget.

resin systems for various applications

ISOTUFF

Premium panel uses an Isophthalic Neopentyl Glycol (NPG) resin system with improved chemical and corrosion resistance. For use where a Class A, per ASTM E-84, fire rating is required. This resin can be combined with woven roving and random chopped fiberglass to achieve high strength. This product is backed by a ten-year limited warranty.

DURALITE

Acrylic-modified resin system designed to improve weatherability and backed with a ten-year limited warranty.

GENERAL PURPOSE

Standard general purpose resin system backed by a ten-year limited warranty.


APPLICATIONS Industrial Panels

Refineries • Paper Mills • Mining Operations • Wastewater Facilities

Industrial Panels engineered solutions FEATURING ISOTUFF®, DURALITE® OR GENERAL PURPOSE RESIN

Industrial Panels engineered solutions


STANDARD PROFILES




4.2" x 1-1/16" Rib | Profile #008




2.67" x 7/8" Rib | Profile #009




7.2" x 1-1/2" Box Rib | Profile #455



5.33" x 1-3/4" V-Beam | Profile #041



R-Panel | Profile #162





Drawing not to scale. Please obtain a sample of the product before making a final selection at FRPSamples.com Above are a few of our standard profiles. Crane Composites Engineered FRP does have the ability to customize tooling to manufacture specific profiles. Additional and more detailed drawings are available upon request.

product specs

WEIGHTS

12 oz. | 16 oz. * Additional weights available via a custom order ** Not every profile is available in all weights, please contact customer service to review available weights per profile.

REINFORCEMENT

- Standard random strand chopped glass
- High Strength woven roving

more than 65 years

A global leading provider of resilient wall and ceiling coverings. Kemlite[®] was established in 1954 and the company changed names to Crane Composites in 2007. Crane Composites is headquartered in Channahon, IL and all our products are manufactured in the United States. We work with hundreds of distributors, ensuring our products are easily accessible and readily available to our customers.





cranecomposites.com/EngSol

1.800.435.0080

sales@cranecomposites.com

The following are trademarks of Crane Composites, Inc. or a related company: SunStrong, Duralite, IsoTuff, Weatherglaze, Super 600, Crystalite | 3004 | REV 05 | 08.2020 (8960)