


The following FRP product families contribute to the LEED sections below:
 Glasbord®, Varietex®, DESIGNS, & Sequentia®

| Section: | Description: | Contribution: |
|----------------------|--|---|
| MR Credit 4.1 | Recycled Content: 10% (post-consumer + ½ pre-consumer) Use Materials with recycled content such that the sum of post-consumer recycle content plus one-half of the pre-consumer content constitutes at least 10% (based on cost) of the total value of the materials in the project. | 0% Pre-consumer 0% Post-Industrial |
| MR Credit 4.2 | Recycled Content: 20% (post-consumer + ½ pre-consumer) Use Materials with recycled content such that the sum of post-consumer recycle content plus one-half of the pre-consumer content constitutes an additional 10% beyond MR Credit 4.1 (total of 20%, based on cost) of the total value of the materials in the project. | 0% Pre-consumer 0% Post-Industrial |
| MR Credit 5.1 | Regional Materials: 10% Extracted, Processed & Manufactured Regionally. Use building materials or products that have been extracted, harvested or recovered, as well as manufactured, within 500 miles of the project site. | Manufactured in Channahon, IL & Florence, KY Raw material components are virgin, sourced across the country |
| MR Credit 5.2 | Regional Materials: 20% Extracted, Processed & Manufactured Regionally. Use building materials or products that have been extracted, harvested or recovered, as well as manufactured, within 500 miles of the project site. | Manufactured in Channahon, IL & Florence, KY Raw material components are virgin, sourced across the country |
| MR Credit 6 | Rapidly Renewable Materials: Use rapidly renewable building materials and products (made from plants that are typically harvested within a ten-year cycle or shorter). | Does not apply |
| MR Credit 7 | Certified Wood: Use a minimum of 50% of wood-based materials and products, which are certified in accordance with the Forest Stewardship Council's (FSC) principles and criteria for wood building components. | Does not apply |
| EQ Credit 4.4 | Low-Emitting Materials: Composite Wood & Agrifiber Products. Composite wood and agrifiber products used on the interior of the building (defined as inside of the weather-roofing system) shall contain no added urea-formaldehyde resins. | Products do not contain urea-formaldehyde resins  |
| EQ Credit 10 | Mold Prevention: Project Teams must achieve the following credits: EQ Credit 3.1: Construction IAQ Management Plan: During Construction, EQ Credit 7.1: Thermal Comfort: Design, EQ Credit 7.2: Thermal Comfort. Verification and provide HVAC systems and controls designed to limit space relative humidity to 60% of less during all load conditions, both occupied and unoccupied. | ASTM D3273 & ASTM D3274 Crane FRP does not support mold or mildew |

